	Hits	Search Text	DBs
1	0	peer with clock with sett$3	US-PGPUB; USPAT
2	8	peer with time with sett$3	US-PGPUB; USPAT
3	2	peer same (clock with sett$3)	US-PGPUB; USPAT
4	146	peer same ((clock or time) with sync$)	US-PGPUB; USPAT
5	66	peer same ((clock or time) with sync$) same network	US-PGPUB; USPAT
6	4094	(send$3 with time) same ((clock or time) with sync$)	US-PGPUB; USPAT
7	188	(send$3 near3 (time or time$1stamp)) same ((clock or time) near3 sync$) same network	US-PGPUB; USPAT
8	146	(send$3 near3 (time or time$1stamp)) same ((clock or time) near3 set$4) same network	US-PGPUB; USPAT
9	14	((send$3 near3 (time or time$1stamp)) same ((clock or time) near3 sync$) same network) and ((send$3 near3 (time or time$1stamp)) same ((clock or time) near3 set$4) same network)	US-PGPUB; USPAT
10	123	setting with remote with clock	US-PGPUB; USPAT
11	5	(setting with remote with clock) same network	US-PGPUB; USPAT
12	0	setting adj remote adj clock	US-PGPUB; USPAT
13	1	set adj remote adj clock	US-PGPUB; USPAT
14	19	set adj clock adj (command or message)	US-PGPUB; USPAT
15	0	((set$4 with clock) with propogat$5 with network)	US-PGPUB; USPAT
16	0	((set$4 with clock) same (propogat$5 with network))	US-PGPUB; USPAT
17	6	((set$4 with clock) with propogat$5)	US-PGPUB; USPAT
18	8	((set$4 with clock) and (propogat$5 with network))	US-PGPUB; USPAT
19	16	"5805530"	US-PGPUB; USPAT
20	851	broadcast$3 with (set$4 near3 (clock or time))	US-PGPUB; USPAT
21	59	broadcast$3 with (set$4 near3 (clock or time)) with network	US-PGPUB; USPAT
22	333	set with remote with clock	US-PGPUB; USPAT
23	42	remote near4 set near4 clock	US-PGPUB; USPAT
24	25	remote near4 setting near4 clock	US-PGPUB; USPAT
25	20	(user near3 (set$4 near2 clock)) same broadcast$3	US-PGPUB; USPAT

	Hits	Search Text	DBs
26	393	broadcast$3 with synchroniz$5 with clock	US-PGPUB; USPAT
27	65	broadcast$3 with synchroniz$5 with clock with network	US-PGPUB; USPAT
28	3	peer same ((clock or time) with sync$)	EPO; JPO
29	7	broadcast$3 with (set$4 near3 (clock or time)) with network	EPO; JPO
30	8	remote near4 setting near4 clock	EPO; JPO
31	11	"5349344"	US-PGPUB; USPAT
32	2	updat$3 with clock with network with (user near2 set$4)	US-PGPUB; USPAT
33	2	updat$3 with clock with network with ((user or manual$3) near2 set$4)	US-PGPUB; USPAT
34	2	((updat$3 with clock) with ((user or manual$3) near2 set$4)) same network	US-PGPUB; USPAT
35	7	clock with network with ((user or manual$3) near2 set$4)	US-PGPUB; USPAT
36	0	updat$3 with clock with other with ((user or manual$3) near2 set$4)	US-PGPUB; USPAT
37	0	updat$3 with clock with devices with ((user or manual$3) near2 set$4)	US-PGPUB; USPAT
38	0	(other near3 clocks) with ((user or manual$3) near2 set$4)	US-PGPUB; USPAT
39	10	updat$3 with time with network with (user near2 set$4)	US-PGPUB; USPAT
40	19	((updat$3 with time) with ((user or manual$3) near2 set$4)) same network	US-PGPUB; USPAT
41	69	((updat$3 with (clock or time)) same ((user or manual$3) near2 set$4)) same network	US-PGPUB; USPAT
42	942	((set$4 with (clock or time)) same ((user or manual$3) near2 set$4)) same network	US-PGPUB; USPAT
43	74	((set$4 with (clock or time)) same ((user or manual$3) near2 set$4)) same network same updat$5	US-PGPUB; USPAT
44	95	((set$4 with (clock or time)) same ((user or manual$3) near2 set$4)) same network same (updat$5 or synchron$8)	US-PGPUB; USPAT
45	14	(((user or manual$3) near2 set$4)) same network same ((updat$5 or synchron$8) near3 (clocks))	US-PGPUB; USPAT

	Hits	Search Text	DBs
46	0	(((user or manual$3) near2 set$4)) same ((updat$5 or synchron$8) near3 (other adj3 clocks))	US-PGPUB; USPAT
47	8	(((user or manual$3) near2 set$4)) same ((updat$5 or synchron$8) near3 (other adj3clocks))	US-PGPUB; USPAT
48	0	(((user or manual$3) near2 set$4)) same ((updat$5 or synchron$8) with (other adj3 clocks))	US-PGPUB; USPAT
49	0	(((user or manual$3) near2 set$4)) same ((other adj3 clocks))	US-PGPUB; USPAT
50	216	((other adj3 clocks))	US-PGPUB; USPAT
51	10	((other adj3 clocks)) with (set$5 or updat$3)	US-PGPUB; USPAT
52	18	((other adj3 clocks)) same (set$5 or updat$3)	US-PGPUB; USPAT
53	77	((set$4 with (clock or time)) same ((user or manual$3) near2 set$4)) same remote same (updat$5 or synchron$8)	US-PGPUB; USPAT
54	5	((user or manual$3) near2 set$4) same (remote with (updat$5 or synchron$8) with (clock$1 or time$1))	US-PGPUB; USPAT
55	243	((user or manual$3) near2 set$4) same (remote with (set$4 or updat$5 or synchron$8) with (clock$1 or time$1))	US-PGPUB; USPAT
56	37	(((user or manual$3) near2 set$4) same (remote with (set$4 or updat$5) with (clock$1 or time$1))) and (synchron$8 with (clock$1 or time$1))	US-PGPUB; USPAT
57	88	(((user or manual$3) near2 set$4) same (network with (set$4 or updat$5) with (clock$1 or time$1))) and (synchron$8 with (clock$1 or time$1))	US-PGPUB; USPAT
58	10	(((user or manual$3) near2 set$4) same (network with (broadcast$3) with (clock$1 or time$1))) and (synchron$8 with (clock$1 or time$1))	US-PGPUB; USPAT

	Hits	Search Text	DBs
59	35	(((user or manual$3) near2 set$4) same (network) same (broadcast$3) with (clock$1 or time$1))	US-PGPUB; USPAT
60	159	(((user or manual$3) near2 set$4) same (broadcast$3) same (clock$1 or time$1)) and (synchron$8 with (clock$1 or time$1))	US-PGPUB; USPAT
61	18	(set$4 with (system adj wide) with clocks)	US-PGPUB; USPAT
62	30	(set$4 with (devices with network) with clocks)	US-PGPUB; USPAT
63	0	updat$3 with ((all or other) adj2 clocks) with (network)	US-PGPUB; USPAT
64	0	set$5 with ((all or other) adj2 clocks) with (network)	US-PGPUB; USPAT
65	21	set$5 with ((device$1) near2 clocks) with (network)	US-PGPUB; USPAT
66	4	updat$5 with ((device$1) near2 clocks) with (network)	US-PGPUB; USPAT
67	6	("4490050" | "5334975" | "5557585" | "5848028" | "5991240" | "6111889").PN.	USPAT
68	3	("4886981" | "5334975" | "5402394").PN.	USPAT
69	3	"5848028".URPN.	USPAT
70	1	(user adj set$5) with (global adj (clock or time))	US-PGPUB; USPAT
71	1	set$5 with ((all or other) adj2 clocks) with (system)	US-PGPUB; USPAT
72	762	((user adj set$5) with (clock or time)) same (broadcast$3 or transmi$6 or sen$5 or push$3)	US-PGPUB; USPAT
73	81	((user adj set$5) with (clock or time)) same (push$3)	US-PGPUB; USPAT
74	59	((user adj set$5) with (clock or time)) same (broadcast$3 or transmi$6 or sen$5) same network	US-PGPUB; USPAT
75	4	((user adj set$5) with (clock or time)) same (synchroniz$6) same network	US-PGPUB; USPAT
76	8	(user adj set$5) same ((synchroniz$6) with (clock or time)) same network	US-PGPUB; USPAT

	Hits	Search Text	DBs
77	40	((user adj set$5) same ((synchroniz$6) with (clock or time))) and network	US-PGPUB; USPAT
78	325	((user or manual$3) adj set$5) and (((synchroniz$6) with (clock or time)) same network)	US-PGPUB; USPAT
79	68	(((user or manual$3) adj set$5) with (clock or time)) and (((synchroniz$6) with (clock or time)) same network)	US-PGPUB; USPAT
80	5	((((user or manual$3) adj set$5) with (clock or time)) same (alert$3 or notif$6)) and (((synchroniz$6) with (clock or time)) and network)	US-PGPUB; USPAT
81	34	((((user or manual$3) adj set$5) with (clock or time)) same (event)) and (((synchroniz$6) with (clock or time)) and network)	US-PGPUB; USPAT
82	212	((((user or manual$3) adj set$5) with (clock or time)) same (alert$3 or notif$6 or event)) and network	US-PGPUB; USPAT
83	21	((((user or manual$3) adj set$5) with (clock or time)) same (alert$3 or notif$6)) and (((synchroniz$6 or updat$3) with (clock or time)) and network)	US-PGPUB; USPAT
84	50	(((((user or manual$3) adj (chang$3 or set$5)) with (clock or time))) same ((synchroniz$6 or updat$3) with (clock or time)) same (network or devices)	US-PGPUB; USPAT
85	1	(((((user or manual$3) adj (chang$3 or set$5)) with (clock or time))) same ((synchroniz$6 or updat$3) with (clock or time)) same (appliances)	US-PGPUB; USPAT
86	136	(((((user or manual$3) adj (chang$3 or set$5)) with (clock or time))) same ((synchroniz$6 or updat$3) with (clock or time)) same (system)	US-PGPUB; USPAT
87	21	peer with clock with synchroniz$6	US-PGPUB; USPAT
88	2	peer with clock with updat$6	US-PGPUB; USPAT
89	24	peer with time with broadcast$3	US-PGPUB; USPAT
90	241	(((user or manual$3) adj set$5) with (clock or time)) same network	US-PGPUB; USPAT

	Hits	Search Text	DBs
91	100	(((user or manual$3) adj set$5) near4 (clock or time)) same network	US-PGPUB; USPAT
92	125	(time near2 chang$3) with (alert)	US-PGPUB; USPAT
93	2	((time near2 chang$3) with (alert)) same ((synchroniz$6 or updat$5) with network)	US-PGPUB; USPAT
94	0	((time near2 chang$3) with (alert)) same ((synchroniz$6 or updat$5) with clocks)	US-PGPUB; USPAT
95	1	((time near2 chang$3) with (alert)) same ((synchroniz$6 or updat$5) with devices)	US-PGPUB; USPAT
96	2	((time near2 chang$3) with (alert)) same ((synchroniz$6 or updat$5) same network)	US-PGPUB; USPAT
97	25	((time near2 chang$3) with (event)) same ((synchroniz$6 or updat$5) same network)	US-PGPUB; USPAT
98	268	set$5 with ((each or every) adj clocks)	US-PGPUB; USPAT
99	3	set$5 with ((each or every) adj clocks) with network	US-PGPUB; USPAT
100	0	updat$3 with clock with network with (user near2 set$4)	EPO; JPO
101	3	broadcast$3 with synchroniz$5 with clock with network	EPO; JPO
102	4	(set$4 with (devices with network) with clocks)	EPO; JPO
103	5	set$5 with ((device$1) near2 clocks) with (network)	EPO; JPO
104	0	peer with clock with (synchroniz$6 or updat$3 or broadcast$5)	EPO; JPO
105	0	((time near2 chang$3) with (event)) same ((synchroniz$6 or updat$5) same network)	EPO; JPO
106	30	set$5 with ((each or every) adj clocks)	EPO; JPO
107	722	((updat$4 near3 (time or clock)) with interrupt$6)	US-PGPUB; USPAT
108	4220	(((updat$4 or set$4) near3 (time or clock)) with interrupt$6)	US-PGPUB; USPAT
109	3208	(((updat$4 or set$4) near2 (time or clock)) with interrupt$6)	US-PGPUB; USPAT

	Hits	Search Text	DBs
123	9	(((updat$4 or set$4) near2 (time or clock)) with receiv$5) same (interrupt$6 with (program or application or routine)) same synchroniz$6	US-PGPUB; USPAT
124	0	(((updat$4 or set$4) near2 (time or clock)) with receiv$5) same (interrupt$6 with (program or application or routine)) same synchroniz$6	EPO; JPO